



BARGE: Buffalo 806

FUEL OIL TANK INNAGE TABLE

HULL No. Jeffboat 13-2783

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 4' 2 1/2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.
0	0	6	574	0	1,153	6	1,732	0	2,308	6	2,887	0	3,466	6		0	
1/8	12	1/8	586	1/8	1,165	1/8	1,744	1/8	2,320	1/8	2,899	1/8	3,478	1/8		1/8	
1/4	24	1/4	598	1/4	1,177	1/4	1,756	1/4	2,332	1/4	2,911	1/4	3,490	1/4		1/4	
3/8	36	3/8	610	3/8	1,189	3/8	1,768	3/8	2,344	3/8	2,923	3/8	3,502	3/8		3/8	
1/2	48	1/2	622	1/2	1,201	1/2	1,780	1/2	2,356	1/2	2,935	1/2	3,514	1/2		1/2	
5/8	60	5/8	634	5/8	1,213	5/8	1,792	5/8	2,369	5/8	2,948	5/8	3,527	5/8		5/8	
3/4	72	3/4	646	3/4	1,225	3/4	1,804	3/4	2,381	3/4	2,960	3/4	3,539	3/4		3/4	
7/8	84	7/8	658	7/8	1,237	7/8	1,816	7/8	2,393	7/8	2,972	7/8	3,551	7/8		7/8	
1	95	7	670	1	1,249	7	1,828	1	2,405	7	2,984	1	3,563	7		1	
1/8	107	1/8	682	1/8	1,261	1/8	1,840	1/8	2,417	1/8	2,996	1/8	3,593	1/8		1/8	
1/4	119	1/4	695	1/4	1,274	1/4	1,852	1/4	2,429	1/4	3,008	1/4	3,624	1/4		1/4	
3/8	131	3/8	707	3/8	1,286	3/8	1,864	3/8	2,441	3/8	3,020	3/8	3,653	3/8		3/8	
1/2	143	1/2	719	1/2	1,298	1/2	1,875	1/2	2,453	1/2	3,032	1/2	3,682	1/2		1/2	
5/8	155	5/8	731	5/8	1,310	5/8	1,887	5/8	2,465	5/8	3,044	5/8	3,711	5/8		5/8	
3/4	167	3/4	743	3/4	1,322	3/4	1,899	3/4	2,477	3/4	3,056	3/4	3,739	3/4		3/4	
7/8	179	7/8	755	7/8	1,334	7/8	1,911	7/8	2,489	7/8	3,068	7/8	3,767	7/8		7/8	
2	191	8	767	2	1,346	8	1,923	2	2,501	8	3,080	2	3,794	8		2	
1/8	203	1/8	779	1/8	1,358	1/8	1,935	1/8	2,513	1/8	3,092	1/8	3,820	1/8		1/8	
1/4	215	1/4	791	1/4	1,370	1/4	1,947	1/4	2,525	1/4	3,104	1/4	3,846	1/4		1/4	
3/8	227	3/8	803	3/8	1,382	3/8	1,959	3/8	2,537	3/8	3,116	3/8	3,871	3/8		3/8	
1/2	239	1/2	815	1/2	1,394	1/2	1,971	1/2	2,549	1/2	3,128	1/2	3,896	1/2		1/2	
5/8	251	5/8	827	5/8	1,406	5/8	1,983	5/8	2,562	5/8	3,141	5/8	3,920	5/8		5/8	
3/4	262	3/4	839	3/4	1,418	3/4	1,995	3/4	2,574	3/4	3,153	3/4	3,944	3/4		3/4	
7/8	274	7/8	851	7/8	1,430	7/8	2,007	7/8	2,586	7/8	3,165	7/8	3,967	7/8		7/8	
3	286	9	863	3	1,442	9	2,018	3	2,598	9	3,177	3	3,990	9		3	
1/8	298	1/8	875	1/8	1,455	1/8	2,031	1/8	2,610	1/8	3,189	1/8	4,012	1/8		1/8	
1/4	310	1/4	888	1/4	1,467	1/4	2,043	1/4	2,622	1/4	3,201	1/4	4,034	1/4		1/4	
3/8	322	3/8	900	3/8	1,479	3/8	2,055	3/8	2,634	3/8	3,213	3/8	4,055	3/8		3/8	
1/2	334	1/2	912	1/2	1,491	1/2	2,067	1/2	2,646	1/2	3,225	1/2	4,076	1/2		1/2	
5/8	346	5/8	924	5/8	1,503	5/8	2,079	5/8	2,658	5/8	3,237	5/8		5/8		5/8	
3/4	358	3/4	936	3/4	1,515	3/4	2,091	3/4	2,670	3/4	3,249	3/4		3/4		3/4	
7/8	370	7/8	948	7/8	1,527	7/8	2,103	7/8	2,682	7/8	3,261	7/8		7/8		7/8	
4	382	10	960	4	1,539	10	2,115	4	2,694	10	3,273	4		10		4	
1/8	394	1/8	972	1/8	1,551	1/8	2,127	1/8	2,706	1/8	3,285	1/8		1/8		1/8	
1/4	406	1/4	984	1/4	1,563	1/4	2,139	1/4	2,718	1/4	3,297	1/4		1/4		1/4	
3/8	418	3/8	996	3/8	1,575	3/8	2,151	3/8	2,730	3/8	3,309	3/8		3/8		3/8	
1/2	429	1/2	1,008	1/2	1,587	1/2	2,163	1/2	2,742	1/2	3,321	1/2		1/2		1/2	
5/8	441	5/8	1,020	5/8	1,599	5/8	2,175	5/8	2,755	5/8	3,334	5/8		5/8		5/8	
3/4	453	3/4	1,032	3/4	1,611	3/4	2,188	3/4	2,767	3/4	3,346	3/4		3/4		3/4	
7/8	465	7/8	1,044	7/8	1,624	7/8	2,200	7/8	2,779	7/8	3,358	7/8		7/8		7/8	
5	477	11	1,056	5	1,636	11	2,212	5	2,791	11	3,370	5		11		5	
1/8	489	1/8	1,068	1/8	1,648	1/8	2,224	1/8	2,803	1/8	3,382	1/8		1/8		1/8	
1/4	501	1/4	1,081	1/4	1,660	1/4	2,236	1/4	2,815	1/4	3,394	1/4		1/4		1/4	
3/8	513	3/8	1,093	3/8	1,672	3/8	2,248	3/8	2,827	3/8	3,406	3/8		3/8		3/8	
1/2	526	1/2	1,105	1/2	1,684	1/2	2,260	1/2	2,839	1/2	3,418	1/2		1/2		1/2	
5/8	538	5/8	1,117	5/8	1,696	5/8	2,272	5/8	2,851	5/8	3,430	5/8		5/8		5/8	
3/4	550	3/4	1,129	3/4	1,708	3/4	2,284	3/4	2,863	3/4	3,442	3/4		3/4		3/4	
7/8	562	7/8	1,141	7/8	1,720	7/8	2,296	7/8	2,875	7/8	3,454	7/8		7/8		7/8	

DATE STRAPPED: 9/3/2013 BY: JMF
DATE COMPUTED: 09/13/2013 BY: WHF
DATE ISSUED: 09/17/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

Intertek

BARGE: Buffalo 806

HULL No. Jeffboat 13-2783

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH (24" HIGH)

REFERENCE GAUGE HEIGHT: 15' 2 1/2"

Table with 18 columns (IN 0 FT. to IN 14 FT.) and multiple rows of capacity data. Each row represents a depth measurement and includes values for 0, 1/4, 1/2, and 3/4 gauge points.

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH (24" HIGH).
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.1

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 07/20/13 BY: JWP
DATE COMPUTED: 03/20/2013 BY: WHP
DATE ISSUED: 09/23/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

Intertek

BARGE: Buffalo 806

HULL No. Jeffboat 13-2783

3 PORT INNGAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNGAGE GAUGING AT 8" GAUGE HATCH (24" HIGH)

REFERENCE GAUGE HEIGHT: 15' 2"

Table with 15 columns (0 FT. to 14 FT.) and 15 rows (0 to 3/4). Each cell contains a numerical value representing capacity in barrels. The table is organized into sections for each foot measurement, with sub-sections for 1/4, 1/2, and 3/4 increments.

NOTE GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH (24" HIGH).

NOTE GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

NOTE FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

NOTE MEASURED AND COMPUTED IN ACCORDANCE WITH API MPM 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 02/2013 BY: JWF

DATE COMPUTED: 08/22/2013 BY: WFF

DATE ISSUED: 08/22/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett.

Intertek

BARGE: Buffalo 806

HULL No. Jettboat 13-2783

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 8" GAUGE HATCH (24" HIGH)

REFERENCE GAUGE HEIGHT: 15' 2 1/4"

Table with 14 columns (IN 0 FT. to IN 14 FT.) and multiple rows of capacity data for various gauge heights (0, 1/4, 1/2, 3/4, 1, 1 1/4, 1 1/2, 2, 2 1/4, 3, 3 1/4, 4, 4 1/4, 5, 5 1/4, 6, 6 1/4, 7, 7 1/4, 8, 8 1/4, 9, 9 1/4, 10, 10 1/4, 11, 11 1/4, 12, 12 1/4, 13, 13 1/4, 14).


NOTE: GAUGE POINT. TO TOP LIP OF 8" DIAMETER GAUGE HATCH (24" HIGH). NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED. NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL. NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.1

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 01/20/13 BY: JMF DATE COMPUTED: 09/20/2013 BY: WHP DATE ISSUED: 09/23/2013

INTERTEK - CALIB BRET

Handwritten signature of Calib Brett



BARGE: Buffalo 806

HULL No. Jeffboat 13-2783

TRIM CORRECTION REQUIRED

4 PORT INNGAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNGAGE GAUGING AT 8" GAUGE HATCH (24" HIGH)

REFERENCE GAUGE HEIGHT: 15' 1 1/2"

Table with columns for depth (0 FT. to 14 FT.), height (0 to 3/4), and volume (0 to 3,620.97). Includes sub-columns for IN and CORRECTION.


NOTE GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH (24" HIGH)
NOTE MEASURED AND COMPUTED IN ACCORDANCE WITH API MPSS 2.2
NOTE FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE GAUGE POINT LOCATED 13' 11" FROM PORT BULKHEAD - USE TRIM CORRECTION WHEN REQUIRED - TRIM BY STERN, ADD CORRECTION TO INNADE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/25/13 BY: JWP
DATE COMPUTED: 8/25/2013 BY: WFW
DATE ISSUED: 8/22/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett



BARGE: Buffalo 806

2 PORT
INNAGE TABLE

HULL No. Jeffboat 13-2783

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNAGE GAUGING AT 2" BALL VALVE

REFERENCE GAUGE HEIGHT: 15' 2"

Main table with columns for depth (0 to 14 FT) and corresponding volume measurements in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 2" DIA DECK PIPE (24" HGH).
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.
NOTE: FOR GREATER ACCURACY, BARRELS SHOULD BE UPRIGHT AND ON EVEN KEEL.
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.1

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 02/2013 BY: JMF
DATE COMPUTED: 02/20/2013 BY: WNF
DATE ISSUED: 02/22/2013

INTERTEK - CALIB BRET

Handwritten signature

Intertek

BARGE: Buffalo 806

HULL No. Jeffboat 13-2783

2 STBD INNGAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNGAGE GAUGING AT 2" BALL VALVE

REFERENCE GAUGE HEIGHT: 15' 2 1/4"

Table with columns for depth (0 FT. to 14 FT.) and corresponding capacity values in barrels. Each depth has three rows for different gauge heights (0, 1/4, 1/2, 3/4).


NOTE GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 3" DIA DECK PIPE (24" HIGH). NOTE GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED. NOTE FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL. NOTE MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.3

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/3/2017 BY: JMF DATE COMPUTED: 9/17/2022 20:08:07 BY: WHP DATE ISSUED: 09/22/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett



BARGE: Buffalo 806

HULL No. Jeffboat 13-2783

3 PORT INNGAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNGAGE GAUGING AT 2" BALL VALVE

REFERENCE GAUGE HEIGHT: 15' 2"

Table with columns for height (0 FT. to 14 FT.) and rows for different gauge levels (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels.

NOTE GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 2" DIA DECK PIPE (34" HOH). THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES DATE STRAPPED: 9/22/93 BY JWP. NOTE GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED. OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY. DATE COMPUTED 08/29/93 BY WJP. NOTE FOR GREATER ACCURACY, INNGAGE SHOULD BE UPRIGHT AND ON EVEN KEEL. DATE ISSUED: 08/23/2013. NOTE MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7. INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

Intertek

BARGE: Buffalo 806

HULL No. Jeffboat 13-2783

3 STBD INNGAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL INNGAGE GAUGING AT 2" BALL VALVE

REFERENCE GAUGE HEIGHT: 15" 2"

Table with 14 columns (0 FT. to 14 FT.) and 14 rows (0 to 3/4). Each cell contains a numerical value representing capacity in barrels. The table is organized into 14 vertical sections, one for each foot of length, with sub-rows for 0, 1/4, 1/2, and 3/4 increments.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 2" DIA DECK PIPE (24" HIGH).
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MFS 2.2

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 02/2013 BY JMF
DATE COMPUTED: 02/20/2013 BY WWP
DATE ISSUED: 02/22/2013

INTERTEK - CALEB BRETT

Handwritten signature of Caleb Brett

